

श्रसाधारण

EXTRAORDINARY

भाग I-सण्ड I

PART I-Section I

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं **6**] नई विल्ली, मंगलवार, जनधरी 9, 1968/पौष 19, 1889

No. 6] NEW DELHI, TUESDAY, JANUARY 9, 1968/PAUSA 19, 1889

इस भाग में भिन्न पुष्ठ संख्या दी जाती है जिससे कि यह ग्रस्तग संकलन के रूप में रखा जा सके।

Separate paging is given to this Part in order that it may be filed as a separate compilation.

MINISTRY OF COMMERCE

PUBLIC NOTICE

IMPORT TRADE CONTROL

New Delhi, the 9th January 1968

SUB. :-- Import Policy for Registered Exporters for the year April 1967-March 1968.

No. 5—ITC(PN)/68.—Attention is invited to the Import Policy for Registered Exporters contained in Part 'B' of Section III of the Import Frade Control Policy Book (Red Book) for the vear April 1967-March 1968 issued under the Ministry of Commerce Public Notice No. 32 IFC(PN)/67 dated May, 1, 1967, as amended from time to time.

Page No of the Red Book	t Refe	rence	Amendments
I		2	3
ENGINEE	RING GOODS.		
190.	S. No. 3	The existing reman against export suituted by the	k "The following items are allowed import of water coolers (Domestic)" may be sub-
	Gin 4	"The following i	tems ae allowed import against export of a (Domestic as well as Commercial)".
191.	S. No 3		be added after entry (j) :— sion, refrigeration angle,-solenoid and
	Col. 4.		
192.	S. No. 14 (1) Col. 4.	The following ma (a) Semifinished (b) Semifinished (c) Brake hose.	master cylinder.
192.	S. No. 14 (v)	The following me	y be inserted :
-	Col. 4.	(a) Components	of taximeters.
		(b) Core wire for	speedometer cable.
192-193.	S. No. 14 (1x)	The following me	y be inserted :
	Col. 4.	(a) Head light g	glass.¶
		(b) Electroplatin	g Salts & brightners.
		(c) Lacquer.	
		(d) Special Al. fo	or vacuum coating.

I	2	3
192 · 193.	S. No. 14 (XIII) (a) to	The following may be inserted :
	(c)	(o) Duaflex steel strips.
	Cols. 4 & 5.	(b) Nickel, silteon (for alloying). (c) Grinding paste. (c) (upto 10% of the face value of the licence).
192-193	S. No. 14 (xni) (d)	The following may be inserted :-
	Col. 4.	(a) Forging quality steel Billets.
192-193.	S. No. 14 (Nn) (f &	The following may be inserted:-
	Col. 4.	(a) Valve steel bars.(b) Spring steel wire.
192-193.	S. No. 14 (xm) (h)	The following may be inserted :
	Col. 4.	(a) Copper, Zinc in Virgin form.
		(b) Fluxes-antioxidants.
192-193.	S. No. 14 (xiii) (j)	The following may be inserted:
	Col. 4.	(a) Copper and brass tubes.
192-193.	S. No. 14 (xiii) (k)	The following may be inserted :-
	Col. 4.	(a) Bruss jets.
192-193.	S. No. 14 (xin) (m to c	o) The following may be inserted:—
	Col. 4.	(a) Filter paper.
192-193.	S. No. 14 (xiii) (p)	The following may be inserted :-
	Col. 4.	(a) Copper.(b) Asbestos.
192-193.	S. No. 14 (xiii) (r)	The following may be inserted:—
	Col. 4.	(a) Forging qualities steel billets/sections.
192-193.	S. No. 14 (xiv) (b)	The following may be inserted:—
	Col. 4.	(a) Asbestos Millboard.
19 2- 194.	S. No. 14 (viv) (g)	The following may be inserted:
	Col. 4.	(a) Needle bearing.
192-194.	S. No. 14 (xiv) (k)	The following may be inserted :-
	Col. 4.	(a) Asbestos.

I	2	3		
192-194.	S. No. 14 (xv) (c)	The following may be inserted:		
	Col. 4.	(a) ERW tubes.(b) Heat Treating salts.		
192-194.	S. No. 14 (xv) (l)	The following may be inserted:-		
	Col. 4.	(a) King pin bush.(b) King pin bearing/shims.		
192-194.	S. No. 14 (xvi) (a &	b) The following may be inserted:		
	Col. 4.	(a) Contact points. (b) Bendix drive. (c) Starter pinnien.		
		(d) Coppet wire brass.		
		(e) Ball bearings (Permissible type).		
		(f) Insulating material.		
192-194.	S. No. 14 (xv1) (c)	The following may be inserted :		
	Çol. 4.	(a) Special electrode for Central wire.(b) Calcined alumina.		
192-195.	S. No. 14 (xvi) (l)	The following may be inserted :		
	Col. 4.	(a) Horn points.(b) Euteka/Nichrome wire.(c) Diaphragms.		
192-195.	S. No. 14 (xv1) (0, p, r.s)	The following may be inserted:—		
	Col. 4.	 (a) Contact points. (b) Bendix drive. (c) Starter Pinnion. (d)Copper wire brass. (e) Ball bearings (Permissible type). (f) Insulating material. 		
192-195.	S. No. 14 (xvii) (e)	The following may be inserted :		
	Col. 4.	(a) Components of dash board instruments.		
192-196.	S. No. 14 (xvii) (g)	The following may be inserted :—		
	Col. 4.	(a) Wites or inned cables.		
197-198.	S. No. 19 (k)	The following may be inserted after (b) :—		
	Cols. 4 & 5.	4 5		
		(c) Tin ingot (d) Lead ingot. (e) Bronze powder. (f) B.P. Sheets. upto 20% of the face value of licence. upto 5% of the face value of licence.		

ĭ	2	3
206.	S. No. 58(1) to (v)	The following may be inserted:— (a) Condensers.
	Col. 4.	(b) presphan paper
		(c) Condenser paper
		(d) E.C. Copper wire bars/wire rods/wires.
207.	S. No. 60	The following may be inserted after (v):-
	Col. 4.	(w) Circlips.
	,	(x) Multi layer special insulating material consisting of polyester film and presphan.
		(y) Copper alloy commutator segments
		(z) Fibre backed or bare mica combination polvester film in- sulating material.
		(aa) Grease nipples.
		(ab) Oil Seals.
		(ac) Cylinders and moulded angle ring; (Elephantide or phenolic tesin bonded).
		(ad) Insulated craft or Manila paper.
		(ae) Gasket Materials in the form of sheets
		(at) Neo k-Tex of Neo-lengite moulded packing washers.
		(ag) Insulating Screws.
		(ah) Aerolite
		(ai) Hardner GBMX.
		(aj) Pyrooler liquidor other synthetic insulating fluid.
		(ak) Cone rotors
		(al) Thermo couples.
		(am) E.C. Grade At Wore Bars or toda,
		(an) Phosphor bronze rods.
		(ao) Eureka/Kanthal resistance wires.
		(ap) Copper alloy commutator segments.
		(aq) Bare electrolytic copper strips.
		(ar) Electrolytic copper extruded shapes.
		(as) Bakelite sheets.
		(at) Phosphor bronze strips.
		(au) Vugin tin metal.
208.	S. No. 61	The following may be inserted after (u) : — (x) Multilayer special insulating material, consisting of poly-
	Col. 1	ester film & presphan. (3) Dipotherm sleevings—Rayon braided fine synthetic resin variashed.
		(x) Phenoeic paper laminate.
		(x) Phenoese paper familiate. (x) Varnished glass cloth and tape.
		(21) Varnished glass sleeving.
		(23) Laminated fibre glass sheets.
		(z4) Cylinders and moulded angle rings (Elephantide or phenoeic resin bonded).
		(25) Eureka/Kanthal resistance wire.
		(z6) Electrolytic copper extruded shapes.
		(27) Bakelite sheets.

I	2	3	
		(z8) CRCA Sheets. (z9) Laminations. (z10) Phosphor Bronze Strips. (z11) Asbestos Sheets.	
216.	S. No. 111(vii)	The following may be inserted	;
	Col. 4 & 5	 (a) Copper ingots/copper scra (b) zinc. (c) Brass scrap. (d) Tin. 	p. Tin will be allowed only upto 20% of the face value of the licence.
		If the export products indicated in Col. 2 against No. 111 (vii) are electroplated, the following addition terms may also be allowed import upto the face valuestrictions, if any, indicated against each:— (a) Primary nickel.	
		(b) Nickel anodes, lead anodes, cadmium anodes.	Upto 50% of the face value of the licence.
		(c) Electroplating salts and brightness.	Upto 20% of the face value of the licence.
		(d) Fet bobs.	Upto 10% of the face value of the licence.
219.	S. No. 126	Entry (d) under 2 may be a	amended to read as under :—
	Col. 4.	"(d) Nickel anodes, lead	anodes and cadmium anodes".
219 22 0.	S. No. 128 Cols. 4 & 5.	The following may be inserted (i) Transistors, diodes, Thermistors, all sorts. (j) Valves, all sorts. (k) Vibrators. (l) Valve holders and accessort (m) Condensors all sorts, incl. (n) Connecting wires. (o) Volume controls/tune con	[Item (i) to (21x) to be allowed with an all overall ceiling of Rs. 1,000/- only for each quarterly application. es. uding electrolytic and gang.
		(p) Resistors, all sorts. (q) Magnets. (r) Mu. Metal & high perm (s) Electrical insulating mat (t) Mylar and Celluloid Sho (u) Cables. (v) Connecting strips. (w) Paints & Varnish. (x) Nichrome wire. (y) Krobs. (x) Aluminium and enamelled (xi) Switches. (xii) Recording tapes for perform	erial. eets. winding wire. mance testing.

23

I

2

3

- (21v) Duralumin foil
- (27) Aluminium foil
- (zvi) Adhesives
- (xv11) Component parts of television receivers
- (27 111) L I. Transformers
- (zix) Transformers.
- (zx) Tape recorder parts
 (zxi) Recording tapes and
 hardware for tape-recor-
- (xvii) Microphone for taperecorders.

Items (xx) to (xxn) allowed only to registered exporters manufacturers of public Address Equipment who are also registered as exporters manufacturers of tape-recorders with the further condition that import of item (xx) will be restricted to 50% of the face value of the import replenishment licence and each of the items (7x1) and (xxn) will be restricted to 10% of the face value of the import replenishment licence.

(xxm) Component parts of record-changers, players and pick-ups.

To be allowed to registered exporters—manufacturers of ampligrams only with the further condition that the import will be allowed upto 50% of the face value of the import replenishment licence

(zxiv) Complete record changers, players and pick-ups. To be allowed against actual exports only of ampligrams with the further condition that the context of the condition that the con

exports only of ampligrams with the further condition that the import will be within 50% of the face value of import replenishment licence.

220. S. No 131

Cols. 4 &5.

The following may be inserted after 5 -

(6) Component parts of record changers players and pick-ups.

To be allowed to registered exporters—manufacturers of Radiograms only with the further condition that the import will be allowed upto 50% of the tace value of the heence

(7) Complete record changers, players and pick-ups To be allowed against actual exports only of Radiograms with the further condition that the import will be within 50% of the face value of the import replenishment licence.

I -	2	3	
220.	S. No. 132. Cols. 4 & 5.	The following may be inserted (11) Component parts of record changers, players and pick-ups.	after 10:— To be allowed to registered exporters—manufacturers of Radiograms only with the further condition that the import will be allowed upto 50% of the face value of the licence.
		(12) Complete record chap- gers, players and pick-ups.	To be allowed against actual exports only of radiograms with the further condition that the import will be within 50% of the face value of the import replenishment licemce.
221.	S. No. 135 Col. 4.	 The following may be inserted (f) Teflon. (g) Fluon. (h) Vydax. (i) Phosphating compound. (j) Polishing compound. 	after (e) :
	S. No. 148 Col. 4	The following may be inserted after (a):— (b) En series steel barg/rods. The following may be inserted:—	
223-224 . -	S. No. 152(vii) Cols. 4&5.	(a) High carbon spring steel strips/wires. (b) Rolled Nickel anodes: (c) Primary nickel.	Upto 50% of the face value of the licence.

P. D. KASBEKAR, Chief Controller of Imports and Exports.